

For guidance on managing construction health risks go to www.hse.gov.uk/construction





0801 Safety Guidance



Using the Vacuum Cleaner

- Do not use the cleaner to vacuum dry waste
- Dry hands, switch off and unplug before emptying the waste container.
- Empty the waste container before it is full.
- If you think the cable may be cut or damaged in any way, switch off and unplug at the mains before inspecting it, if the cable attached to the vacuum cleaner is damaged, stop using the equipment. Contact the hire company. If an extension cable has been damaged, do not use it again.

Keep this leaflet safe as it may be required for reference at a future date

Vacuum Cleaner - WET

The rules and procedures in force where people are at work may require the person responsible for this equipment to carry out a specific risk assessment.

It is important to read all of this leaflet **BEFORE** you use the Vacuum Cleaner

- 1. Electricity is dangerous and must always be used with great care.
- Water and electricity make a dangerous combination. Keep water away from the electrical parts.
- This vacuum cleaner is designed for vacuum collection of water and wet waste material.
- The action of this vacuum cleaner can cause injury or damage if the equipment is not used in a careful and controlled way.
- Familiarise yourself with how the equipment works before starting work.
- Plan and think ahead to make sure you will always be working safely.
- You should have at least the following items of protective equipment: rcd if using a 230 volt (mains) supply.
- This equipment must not be used by minors, or by anyone under the influence of drugs or alcohol.
- This vacuum cleaner is designed for operation by an able bodied adult. Anyone with either temporary or permanent disability must seek expert advice before using it.

Every effort has been made by HAE/EHA to ensure that the information given in this document and supporting materia

is accurate and not misleading. HAE/EHA cannot accept responsibility for any loss or liability perc have arisen from the use of any such document/material. Only Acts of Parliament and Statutory Ins

to have arisen from the use of any such document/material. Only Acts of Parliament and Statu.

have the force of law and only the courts can authoritatively interpret the law.

















2450 Regents Court The Crescent







44 (0) 121 333 4109

©Copyright Hire Association Europe April 2011

Any unauthorised reproduction – manually or electronically – is STRICTLY prohibited

connections are dry and sale. 2. Make sure that any extension cable

conid catch fire. Unroll it fully or it will overheat and where vehicles might run over it. where it might be trapped, and places sparp edges, doorways or windows 4. Lay it out carefully avoiding liquids,

(160 feet). Put it directly into the rcd. duty one, not longer than 50 metres suitable rated heavy



instructions supplied with it. it. Reset the rcd according to the the rcd is working each time you use 2. Use the "TEST" button to check that

asmagea. shock if the cable or equipment gets uelb to blotect you against electric your equipment into the rcd. This will

230volt socket. Plug auı ojui qırectiy device ("rcd") plugged 1. Use a residual current

(SQUARE PIN OR BLUE PLUG) 230 ΛΟΓΙ ΕΦΠΙΡΜΕΝΤ

connections are dry and safe. 4. Make sure that any extension cable

catch fire. fully or it will overheat and could vehicles might run over it. Unroll it be rapped, and praces where doorways or windows where it might avoiding liquids, sharp edges, 3. Lay the extension cable out carefully -juewdinbe

between the transformer and the must only use an extension cable longer than 50 metres (160 feet). You heavy duty 110v extension cable, not you should only use a suitable rated uot diven any special instructions company. If the hire company have given by the hire any special instructions

2. If you need to use an not use any 230v extension cables. directly into the 230 volt socket. Do

extension able, tollow

transformer, plug the transformer 1. If you are using a portable

110 VOLT EQUIPMENT (YELLOW PLUG)

:uewdinbe Read the instructions below for your industrial plug. square pin plug fitted, or a blue









The Crescent Birmingham Business Park noo sinegen uch to run directly from 230v mains will

BAY 788 Iludilos



230v equipment will have either a normal industrial plug inted.

44 (0) 121 380 4600 44 (0) 121 333 4109

110v equipment will nave a yellow voltage; it will be 110v or 230v.

Your equipment will only operate on one

ELECTRICAL SAFETY

now to stop it. vacuum cleaner on, you must know oberates. Before you switch the 9. Check on how the on/off switch

overheat rapidly. passage causing the machine to full, the ball valve will shut off the air It the waste container becomes too

Empty the waste container before it and may damage it.

sludge, it will clog up the machine Do not try to clean up waste oil or

such as petrol, or weed killer. flammable, corrosive or toxic wastes Do not use it for vacuuming nazardous materiais.

orner involving asbestos This machine is not suitable for work ritted, or a blue industrial plug.

have either a normal square pin plug

than you think. Equipment designed moving it about - it may be heavier care not to injure yourself when transformer has been supplied, take mains 230v supply. If a portable power the equipment from a normal bortable transformer if you need to hire company will have provided a run off a special 110v supply. The ot bengiseb si bettit gulq listrabni Equipment with a cylindrical yellow

improvise them. not try to force connections or ednibment matches your supply. Do 2. Check that the plug on your

company. vacuum cleaner- contact the hire is found damaged, do not use the plugs and all equipment. If anything 1. Check your equipment, cables,

NACUUM CLEANER

where the electrical parts might get Do not use this cleaner in the rain or

and animals well clear. or could distract you. Keep children safe and that no-one is near to you 2. Make sure that the area is clear and

Do not use this vacuum cleaner

cylinders. It will ignite fumes from petrol, or gas where there is a danger of explosion.

WORK AREA

